



Expand your defibrillator or monitoring system with a state-of-the-art CPR feedback functionality: **Push** measures the rate and depth of a chest compression – accurate and in real time. Once connected, it collects, analyzes and transmits the data to the host system.

FEATURES

- Highest accuracy in measuring the depth and rate of chest compression
- Enhanced product lifetime
- Certified medical product accessory (class I)
- Easy cleaning and disinfection

YOUR BENEFITS

- Standard data interface solution (plug and play)
- Patient connection defibrillation protected
- Customizable plug-in connector to host system
- Body-adapted shape for intuitive use



Defibrillation solutions, Faster,

TECHNICAL INFORMATION	
Measuring range (depth):	2.0 cm to 10.1 cm
Accuracy (depth):	< 0.5 cm
Measuring range (compression rate):	30 to 150 compressions per minute
Accuracy (compression rate):	± 3 compressions per minute
Data interfaces available:	USB, UART
Hardware interface:	USB as standard, customizable to host-system
Patient leakage currents:	Type BF applied parts
Operating temperature:	-20 °C to +65 °C
Humidity level:	15 % to 95 %, non-condensing
Supply voltage:	3.3 V to 5 V (depending on data interface)
Air pressure level:	540 hPa to 1200 hPa
Ingress Protection:	IP55
Cable length:	200 cm
Weight:	< 200 g

APPLIED STANDARDS

ILCOR / AHA / ERC

EN 60601-1-12:2015

EN 1789:2020

ISO 10993:2018

RoHS / REACH

CORSCIENCE GMBH & CO. KG

Hartmannstraße 65 91052 Erlangen, Germany

+49 91 31/97 79 86 - 0 info@corscience.com www.corscience.com

© Copyright protected. Subject to design and equipment changes. CS60666C

ABOUT CORSCIENCE

Corscience is the manufacturerindependent partner for defibrillation.
We offer engineering services from
the idea to development and the
final regulatory approval as well as
established and customizable solutions.